

Technical Specifications Stadsschouwburg Haarlem

Stadsschouwburg Haarlem
Wilsonsplein 23
2011 VG in Haarlem

Production department (Monday to Friday, 9 to 5)

Dana Vermeulen [technical]
0235121132
Amber Bijster [hospitality]
0235121261

023-512 12 12 [general]
023-512 12 40 [technical team]
023-512 12 87 [backstage porter]

Capacity 667 persons



Stage Dimensions

Standard Opening	10,80 m width, 7,60 m height
Depth	11,60 m from zero point
Front stage edge	3,20 m from zero point (middle)
Movable stage opening	between 9,00 m till 12,00 m
Height Portal	max 7,50 m
Stage	Keroewing wooden floor.

Flybar system

Flybars (control system TNM)

Number	57 + 1 veil flybar
Width	17.28m
Max. load	500 kg
Max. speed	1,8 m/s
Max. heigth	17,80 m

Side bars (control system TNM)

Number	4
Width	11m

Masking

Wings	1 set 10,5 m x 3,6 m, black 5 sets 9,5 m x 3,6 m, black
Borders	6 pieces, 18 m x 4,5 m, black
Fond	1 piece, flybar 57, black
Horizon	1 piece, flybar 58, white
Fond (free to place)	18 m x 9,5 m, black
Ballet floor	black 15 m width
Gaas	1x white, 1x black, 18 x 10 m

Lighting

Power supply

Stage left 125A & 63A

Stage Right 2x 125A & 63A

Total free to use dimmers

True out the stage 4 cabinets with :
Portable dimmers:

1 x 8 channel Harting , 8x CEE's 2,3kW and 2x 5kW CEE
24x 2,3kW in 1 rack, 12x 2,5kW in a MA dimmerpack

General spots

Auditorium bridge
Portalbridge

24x Selecon Pacific zoomprofiel 1200W 80V, 12-28 gr
11x Selecon Pacific zoomprofiel 1000W 230V, 23-50gr
12x Selecon PC 1200W 230V met barndoor

Balcony & cove
Side bridges 2x
Manteaux 2x

6x Selecon Pacific zoomprofiel 1000W 230V, 14-35 gr
8x Selecon Pacific zoomprofiel 1200W 80V, 14-35gr
3x Selecon Pacific zoomprofiel 1000W 230V, 23-50gr
3x Selecon PC 1200W 230V met barndoor

Horizonbattery

9x ETC Cyc

Remaining fixtures

10x Selecon PC 1200W 230
8x Selecon PC 2000W 230V
8x Selecon fresnell 2000W 230V
8x DeSisti fresnell 5000W 230V
8x 6-bar Sourcefour par 750W 230V
12x Sourcefour par 750W 230V
12x Selecon Pacific zoomprofiel 1000W 230V 23-50gr
6x Selecon Pacific zoomprofiel 1000W 230V 12-28gr

Moving lights (on request)

10x Robin Led Beam 150
10x Robe DL4X

Lightingdesk

Roadhog 4 with faderwing

Followspot

2 x Robert-Juliat Ivanhoe 2500 HMI

Miscellaneous

1x Yamaha C6 vleugel incl. stoel
1x Piano
16x Stagedeck 1x2 m [20\40\60\80 cm incl. skirt]
1x Stagedeck 1x1 m [20\40\60\80 cm incl. skirt]
10x Floorstand (H-shape), 8x Floorstand (foldable)
6x Stand high
1x Katheder
45x Orchestra seating
45x Musicstands
1x MDG Atmosphere hazer
Alp-lift cherry-picker
Greengoo intercom (5x wire-less, 5x wired)



Sound

Powersupply

Downstage left 32A
Downstage right 32A

PA

Each side	3x D&B Q7
Center	2x D&B Q7 & 1x D&B Q10 (zaal)
Sub	2x Qi-Sub per kant
Infills	2x D&B E6
Frontfills	3x D&B E0
Underbalcony	3x D&B E0
2de balcony infill	4x D&B E0

Sounddesks

1x Midas Pro1 incl. dl 153 stagebox 16/8
1x Midas M32R
1x Midas Venice 160
1x Midas F24

Monitors

6x Turbosound (4x 12" & 2x15")
2x Turbosound sub & top IQ 15

Microphones

1x zenderrack met 2x Handheld **of** 2x beugel ewg4 Sennheiser
2x AKG C414 b-xls
2x AKG C4000 b
1x AKG D112
2x AKG C568 b
4x AKG C518 m
1x Behringer B-2 pro

4x Crown PCC-160
2x Haun MBC660
4x Sennheiser E604
2x Neumann KM184 stereoset
2x Sennheiser MD421
2x Sennheiser 912 BK
4x Shure SM57 beta
4x Shure SM87 beta
3x Shure SM58 beta
6x Shure SM58
1x Tablemic
2x DI stereo
8x BSS DI mono

Auxilliary Equipment

2x Tascam cd speler
Assortiment analoge equipment, EQ & galm

Video

1x Laptop HP
1x Switch analog way pls350-3G
1x SDI haspel
1x Digital projection highlite 660 [1920x1080p 8000 ansi lumen]
1x Scherm 16:9 front/rear draper focal point 309x549cm
1x CDJ dvd speler
1x Viewing screen 32"
1x Logitech R400 presenter
1x HDMI naar SDI converter
1x LCD scherm 75" Sony

